



ANKOK EDM filters

High performance filtration

PERFECTLY MATCHED

In the field of EDM, the limits of what is technically possible are constantly being redefined. The quality of the machined parts which can be realized is closely connected to the means of production and process technology. High quality EDM results require fine adjustment of the machining parameters and the use of materials especially designed for the process.

YOUR BENEFITS

- Higher cutting speeds
- Erode directly to final dimension
- Reduction of secondary erosion operation
- Higher quality surface finish
- Improved work-piece tolerance
- Stable conductivity of the dielectric
- Optimization of the ion exchange resin consumption
- Reduced machine wear
- Reduction of maintenance costs

OEM AND AFTERMARKET

It's no wonder why many well-known erosion machine manufacturers use products by ANKOK as original equipment.

And with ANKOK, we also have a strong brand for the aftermarket.

Our Top Sellers



A-32

Dimensions: \varnothing 150 x 375 mm
Centre tube connection: \varnothing 32 mm
Filter fineness: 5 - 7 μ m
For use in WEDM of: AGIE CHARMILLES



A-02

Dimensions: \varnothing 150 x 350 mm
Centre tube connection: \varnothing 33 mm
Filter fineness: 5 - 7 μ m
For use in WEDM of: SEIBU, SODICK



A-19

Dimensions: \varnothing 340 x 300 mm
Centre tube connection: \varnothing 46 mm
Filter fineness: 5 - 7 μ m
For use in WEDM of: AGIE CHARMILLES, FANUC, SODICK



A-17

Dimensions: \varnothing 260 x 340 mm
Centre tube connection: \varnothing 29 mm
Filter fineness: 5 - 7 μ m
For use in WEDM of: HITACHI, MITSUBISHI, SODICK




A-36Z-20

Dimensions: \varnothing 340 x 300 mm
Connection thread: M20
20mm Nozzle set inclusive
Filter fineness: 5 - 7 μ m
For use in WEDM of: HITACHI, MAKINO, MITSUBISHI, SEIBU



A-36Z-31

Dimensions: \varnothing 340 x 300 mm
Connection thread: M20
31mm Nozzle set inclusive
Filter fineness: 5 - 7 μ m
For use in WEDM of: FANUC



A-36P-20

Dimensions: \varnothing 340 x 300 mm
Centre tube connection: \varnothing 46 mm
20mm Nozzle set inclusive
Filter fineness: 5 - 7 μ m
For use in WEDM of: HITACHI, MAKINO, MITSUBISHI, SEIBU



A-36P-31

Dimensions: \varnothing 340 x 300 mm
Centre tube connection: \varnothing 46 mm
31mm Nozzle set inclusive
Filter fineness: 5 - 7 μ m
For use in WEDM of: FANUC



A-20

Dimensions: \varnothing 300 x 500 mm
Centre tube connection: \varnothing 29 mm
Filter fineness: 5 - 7 μ m
For use in WEDM of: BROTHER, MITSUBISHI



A-38

Dimensions: \varnothing 300 x 500 mm
Centre tube connection: \varnothing 59 mm
20mm Nozzle set inclusive
Filter fineness: 5 - 7 μ m
For use in WEDM of: ACCUTEX, CHMER, EXCETEK, HITACHI, MAKINO, MITSUBISHI, SEIBU



A-25N

Dimensions: \varnothing 340 x 450 mm
Centre tube connection: \varnothing 46 mm
Filter fineness: 5 - 7 μ m
For use in WEDM of: AGIE CHARMILLES, FANUC, SODICK



A-240

Dimensions: \varnothing 340 x 450 mm
Connection thread: G 3/4"
Filter fineness: 5 - 7 μ m
For use in WEDM of: AGIE CHARMILLES



A-22

Dimensions: \varnothing 260 x 280 mm
Centre tube connection: \varnothing 37 mm
Filter fineness: 5 - 7 μ m
For use in WEDM of: HITACHI, SODICK



A-23

Dimensions: \varnothing 260 x 280 mm
Centre tube connection: \varnothing 46 mm
Filter fineness: 5 - 7 μ m
For use in WEDM of: MAKINO, SODICK



A-38N

Dimensions: \varnothing 300 x 500 mm
Connection thread: M20
20mm Nozzle set inclusive
Filter fineness: 5 - 7 μ m
For use in WEDM of: ACCUTEX, CHMER, EXCETEK, HITACHI, MAKINO, MITSUBISHI, SEIBU



A-02N

Dimensions: \varnothing 150 x 350 mm
Centre tube connection: \varnothing 33 mm
Filter fineness: 5 - 7 μ m
For use in WEDM of: SEIBU, SODICK

Our Top Sellers



A-1535W-33

Dimensions: \varnothing 150 x 350 mm
Centre tube connection: \varnothing 33 mm
Filter fineness: 10 - 15 μ m
For use in EDM of: AGIE CHARMILLES,
HITACHI, MITSUBISHI, SEIBU



A-1535W-33N

Dimensions: \varnothing 150 x 350 mm
Centre tube connection: \varnothing 33 mm
Filter fineness: 10 - 15 μ m
For use in EDM of: AGIE CHARMILLES,
HITACHI, MITSUBISHI, SEIBU



A-1545W-33

Dimensions: \varnothing 150 x 450 mm
Centre tube connection: \varnothing 33 mm
Filter fineness: 10 - 15 μ m
For use in EDM of: ACCUTEX, CHMER, EXCETEK



A-1545W-72

Dimensions: \varnothing 150 x 450 mm
Centre tube connection: \varnothing 72 mm
Filter fineness: 10 - 15 μ m
For use in EDM of: ACCUTEX, CHMER, EXCETEK



A-30P-32

Dimensions: \varnothing 300 x 330 mm
Centre tube connection: \varnothing 59 mm
Connection thread: M20
32mm Nozzle set inclusive
Filter fineness: 5 - 7 μ m
For use in EDM of: MITSUBISHI



A-30Z-32

Dimensions: \varnothing 300 x 300 mm
Connection thread: M20
32mm Nozzle set inclusive
Filter fineness: 5 - 7 μ m
For use in EDM of: MITSUBISHI

Further filter elements upon request.